



Freestanding 19" Rack mount Cabinets Standard

BL range of Free Standing Rack mount Cabinets is ideal for mounting data networking equipment. They meet the all-round standard requirements for any data and server equipment installation - ease of assembly and access, safety and security in use and durability once assembled. Additionally the cabinets are very competitively priced which make them a best seller with exceptional value for money.

FEATURES

- Constructed in Welded Steel
- Removable Front (Rear) toughened glass 2 plate door with lock
- Removable perforated / vented back panel with lock
- Quick release door pins
- Top cover with (4) mounting holes for cooling fan
- Top & Bottom large cable access
- 1 Sliding tray for keyboard & 1 fixed tray for server & Monitor.
- Castor (Wheel)
- Adjustable mounting profile (U channel)
- Powder Coated Grey Color (Black Optional)
- Static loading capacity 250Kg
- Structure 18G (1.2mm), Mounting profile 18G (1.2mm), others 19-20G (0.9 to 1.0mm) & Glass 5mm
- U height position markers for accurate equipment positioning (Optional)



Optional Accessories



Specifications are subject to change without prior notice with advancement in technology.

www.bbl.com.pk



Rack Free Standing Standard


Grey Color		Black Color	
Comcode	Product ID	Comcode	Product ID
000546	RFSSR6622UGG	000026	RFSSR6622UGB
000539	RFSSR6822UGG	001805	RFSSR6822UGB
000431	RFSSR6122UGG		RFSSR6122UGB
000545	RFSSM8822UGG		RFSSM8822UGB
000574	RFSSR8122UGG		RFSSR8122UGB
000548	RFSSR6627UGG		RFSSR6627UGB
000543	RFSSR6827UGG	000027	RFSSR6827UGB
000163	RFSSR6127UGG		RFSSR6127UGB
000547	RFSSM8827UGG		RFSSM8827UGB
000165	RFSSR8127UGG		RFSSR8127UGB
000004	RFSSR6632UGG		RFSSR6632UGB
000005	RFSSR6832UGG		RFSSR6832UGB
000577	RFSSR6132UGG		RFSSR6132UGB
000006	RFSSM8832UGG		RFSSM8832UGB
000578	RFSSR8132UGG		RFSSR8132UGB
000534	RFSSR6637UGG		RFSSR6637UGB
000544	RFSSR6837UGG		RFSSR6837UGB
000858	RFSSR6137UGG		RFSSR6137UGB
000537	RFSSM8837UGG		RFSSM8837UGB
001434	RFSSR8137UGG		RFSSR8137UGB
000535	RFSSR6642UGG	000702	RFSSR6642UGB
000536	RFSSR6842UGG	001609	RFSSR6842UGB
000845	RFSSR6142UGG		RFSSR6142UGB
000538	RFSSM8842UGG		RFSSM8842UGB
001435	RFSSR8142UGG		RFSSR8142UGB
000007	RFSSR6647UGG		RFSSR6647UGB

Specifications are subject to change without prior notice with advancement in technology.



Configuration

Grid 1u = 44.5 mm




Specifications are subject to change without prior notice with advancement in technology.

www.bbl.com.pk



ORDERING INFORMATION

RACK FREE STANDING STANDARD



Specifications are subject to change without prior notice with advancement in technology.

www.bbl.com.pk