



Freestanding 27" Rack mount Cabinets Standard

BL range of Free Standing Rack mount Cabinets is ideal for mounting data networking equipment. They meet the all-round standard requirements for any data and server equipment installation - ease of assembly and access, safety and security in use and durability once assembled. Additionally the cabinets are very competitively priced which make them a best seller with exceptional value for money.

FEATURES

- Constructed in Welded Steel
- Removable Front (Rear) toughened glass 2 plate door with lock
- Removable perforated / vented back panel with lock
- Quick release door pins
- Top cover with (4) mounting holes for cooling fan
- Top & Bottom large cable access
- 1 Sliding tray for keyboard & 1 fixed tray for server & Monitor.
- Castor (Wheel)
- Adjustable mounting profile (U channel)
- Powder Coated Grey Color (Black Optional)
- Static loading capacity 250Kg
- Structure 18G (1.2mm), Mounting profile 18G (1.2mm), others 19-20G (0.9 to 1.0mm) & Glass 5mm
- U height position markers for accurate equipment positioning (Optional)



Optional Accessories



Specifications are subject to change without prior notice with advancement in technology.



Rack Free Standing Standard


| Grey Color | | Black Color | |
|------------|--------------|-------------|--------------|
| Comcode | Product ID | Comcode | Product ID |
| 000546 | RFSSR6622UGG | 000026 | RFSSR6622UGB |
| 000539 | RFSSR6822UGG | 001805 | RFSSR6822UGB |
| 000431 | RFSSR6122UGG | | RFSSR6122UGB |
| 000545 | RFSSM8822UGG | | RFSSM8822UGB |
| 000574 | RFSSR8122UGG | | RFSSR8122UGB |
| 000548 | RFSSR6627UGG | | RFSSR6627UGB |
| 000543 | RFSSR6827UGG | 000027 | RFSSR6827UGB |
| 000163 | RFSSR6127UGG | | RFSSR6127UGB |
| 000547 | RFSSM8827UGG | | RFSSM8827UGB |
| 000165 | RFSSR8127UGG | | RFSSR8127UGB |
| 000004 | RFSSR6632UGG | | RFSSR6632UGB |
| 000005 | RFSSR6832UGG | | RFSSR6832UGB |
| 000577 | RFSSR6132UGG | | RFSSR6132UGB |
| 000006 | RFSSM8832UGG | | RFSSM8832UGB |
| 000578 | RFSSR8132UGG | | RFSSR8132UGB |
| 000534 | RFSSR6637UGG | | RFSSR6637UGB |
| 000544 | RFSSR6837UGG | | RFSSR6837UGB |
| 000858 | RFSSR6137UGG | | RFSSR6137UGB |
| 000537 | RFSSM8837UGG | | RFSSM8837UGB |
| 001434 | RFSSR8137UGG | | RFSSR8137UGB |
| 000535 | RFSSR6642UGG | 000702 | RFSSR6642UGB |
| 000536 | RFSSR6842UGG | 001609 | RFSSR6842UGB |
| 000845 | RFSSR6142UGG | | RFSSR6142UGB |
| 000538 | RFSSM8842UGG | | RFSSM8842UGB |
| 001435 | RFSSR8142UGG | | RFSSR8142UGB |
| 000007 | RFSSR6647UGG | | RFSSR6647UGB |

Specifications are subject to change without prior notice with advancement in technology.



Configuration

Grid 1u = 44.5 mm




Specifications are subject to change without prior notice with advancement in technology.



ORDERING INFORMATION

RACK FREE STANDING STANDARD



Specifications are subject to change without prior notice with advancement in technology.