



Free Standing 19" Rack mount Cabinets Frame Type with Low Level Cable Management

BL range of Free Standing Rack mount Cabinets is ideal for mounting data networking equipment. They meet the all-round standard requirements for any data and server equipment installation - ease of assembly and access, safety and security in use and durability once assembled. Additionally the cabinets are very competitively priced which make them a best seller with exceptional value for money.

FEATURES

- Constructed in Welded Steel Frame type
- Removable Front (Rear) toughened glass 2 plate door with lock
- Removable Front (Rear) perforated Panel with Lock (Optional)
- Removable side panels with locks for protection
- Removable perforated / 2 Door vented back panel with lock
- Quick release door pins
- Top cover with (6) mounting holes for cooling fan
- Top & Bottom large cable access
- Bottom level flat directly keeps equipment. No need for extra tray.
- 1 sliding tray for keyboard & 2 fix trays for server & Monitor.
- Adjustable feet Leveling Position & castor (Wheel)
- Adjustable mounting profile (U channel)
- Powder Coated Grey Color (Black Optional)
- Static loading capacity 350Kg
- Frame 18G (1.2mm), Mounting profile 17G (1.4mm), others 19-20G (0.9 to 1.0mm) & Glass 5mm
- U height position markers for accurate equipment positioning (Optional)
- Fan Filter (Optional)



Specifications are subject to change without prior notice with advancement in technology.



Rack Free Standing Frame

Grey Color		Black Color	
Comcode	Product ID	Comcode	Product ID
001326	RFFSR6927UGG		RFFSR6927UGB
	RFFSR6127UGG	001603	RFFSR6127UGB
001056	RFFSR6837UGG		RFFSR6837UGB
001057	RFFSR6137UGG		RFFSR6137UGB
001058	RFFSM8837UGG		RFFSM8837UGB
000020	RFFSR8137UGG		RFFSR8137UGB
001457	RFFSR6642UGG		RFFSR6642UGB
001059	RFFSR6842UGG	001610	RFFDR6842UPB
001060	RFFSR6142UGG		RFFSR6142UGB
001359	RFFSR7842UGG		RFFSR7842UGB
001371	RFFSR7942UGG		RFFSR7942UGB
001061	RFFSM8842UGG	001632	RFFDM8842UPB
000579	RFFSR8142UGG		RFFSR8142UGB
000008	RFFSR6847UGG		RFFSR6847UGB
000588	RFFSR6147UGG		RFFSR6147UGB
000540	RFFSM8847UGG		RFFSM8847UGB
000583	RFFSR8147UGG		RFFSR8147UGB

Optional Accessories




Specifications are subject to change without prior notice with advancement in technology.



Configuration

Grid 1u = 44.5 mm



Specifications are subject to change without prior notice with advancement in technology.



ORDERING INFORMATION

RACK FRAME FREE STANDING



Specifications are subject to change without prior notice with advancement in technology.