



The Brightest Choice of Networking & Communication

Optical Distribution Frame 24/48/96 Port Rack Mount Panel (loaded)



BayLan Rack Mountable fiber patch and splice panel (Optical Unit Box) designed to accommodate up to 24 Fiber terminations single fusion splices. It provides a compact and versatile method of splicing and connectivity. Standard panels are available in empty, loaded and unloaded versions. Unloaded panels include adapter plates, and splice drawers. Loaded panels also included adapters and pigtails.

Features:







- **BayLan** 24Port Optical Distribution Frame suitable for ribbon and bunchy optical fibers
- Flexible standard 19" cabinet installation
- Specially-structured door latch of the cases facilitates door opening and closing
- Fibers can be led in from the left and right to make operations much easier
- SC / ST / FC/MTRJ Adaptor are available
- Sliding rails for restricting and positioning are used to take out and fix modules very conveniently
- Material Metallic
- Joint module quantity and capacity 1/12fiber
- Module connector capacity 12fibers
- Module quantity 2pcs

Specifications:

- **Environment Temperature** : 25 to 45°C
- **Relative Humidity** : ≤85 % (30°C)
- **Atmosphere Pressure** : 70 to 106KPa
- **Insulated Resistance** : ≥ 2 × 10MΩ / 500VDC
- **Intensity** : ≤ 15KV(DC)/1minno spark-over and no flying arc
- **Fiber bending radium guaranteed more than 40mm:** ≥40mm

Specifications are subject to change without prior notice with advancement in technology.

www.baylan.com

Com Code	Product ID	Description	Height	Picture
002623	BODF122L24MR2C	24Port SC Type Loaded with Coupler and Pigtails	2U	
002624	BODF122L24MR2F	24Port FC Type Loaded with Coupler and Pigtails	2U	
002625	BODF124L48MR3C	48Port SC Type Loaded with Coupler and Pigtails	3U	
002626	BODF124L48MR3F	48Port FC Type Loaded with Coupler and Pigtails	3U	
002627	BODF128L96MR5C	96Port SC Type Loaded with Coupler and Pigtails	5U	
002628	BODF128L96MR5F	96Port SC Type Loaded with Coupler and Pigtails	5U	



Specifications are subject to change without prior notice with advancement in technology.