

TM-30AA
BayLan Barcode Label Scale
Multi Interface



FEATURES

- Simple installation, convenient operation. Display board instead of the traditional use of installing screw can be operated when you put the display board erect
- High brightness green light shows can normal use no matter in indoor or outdoor.
- Storage capacity up to 4000 commodities and support 31 hotkeys.
- Continuous cumulative reporting can be set up
- Continuous cumulative reporting can be set up.
- PC (Remote Control background) can transfer date to the electronic scale remotely through the network.
- PC can conduct real-time monitoring to sales of each store via internet.
- Powerful communication software provides a high speed of downloading and uploading of all kinds of information.
- Can conduct printing on label paper of different spec, print format can be chosen the factory default format or be set freely by user.
- Convenient to set label format, PLU content, all kinds of statements and the time's settings through PC software;.
- Can count the times of printing and valuate automatically.
- PC software can realize the fully compatible together with other electronic file trans conductance.






Specifications are subject to change without prior notice with advancement in technology.

SPECIFICATIONS

Model Name	TM-30AA
Max Capacity	30kgs
Verification Scale Interval	10g/5g
Display	Bright red LED or green LED
Keyboard	Number: 56 buttons (25 function keys, 31 hot keys)
PLU Program Data	4000
Data Storage	MCU:LPC2138 , RAM:32KB,FLASH:512KB
Printing Speed	75MM/SEC
Interface	RS232(standard),Ethernet (optional),TCP/IP cash drawer(optional)
Power supply	110V-240V
Dimension	381*388*160MM
Label Size	60*40MM,40*30MM
Temperature	0-40
Humidity	20%-90%RH
Paper Out Method	direct thermal printing
Accuracy Class	1/3000
Executive Standard	CE

Specifications are subject to change without prior notice with advancement in technology.

BayLan Weighing Label Scale Products Range

Item Code	Product ID	Description	Picture
002639	RLS1100	upto30Kg (2/5Gm) with Thermal Printer, RJ45 Programming.	
002922	TM-30AB	upto30Kg with Thermal Printer, RJ45 Programming, Pole Display, LED(GR)	
002923	TM-30AA	upto30Kg with Thermal Printer, RJ45 Programming, Table Display, LED(GR)	
002924	TM-30F	upto30Kg with Thermal Printer, RJ45 Programming, Pole Display, LED(GR)+LCD(GR)	
002925	TM-30H	upto30Kg with Thermal Printer, RJ45 Programming, Pole Display, LCD(GR)	

Specifications are subject to change without prior notice with advancement in technology.